FEB 1 8 2004

JSPTO Form 1449 U.S. Department of Commerce Attorney Docket No. Serial No. Patent and Trademark Office INFORMATION DISCLOSURE 4126-4012 10/693,174 CITATION Applicant(s): Rinehart et al. Sheer L of 1 Filing Date: October 23, 2003 Group: tba **U.S. PATENT DOCUMENTS** Examiner Patent No. Date Class Subclass Filing Date Initial (if appropriate) 4,816,450 03/28/89 AA Bell et al. 25 514 AB 5,190,876 03/02/93 Merrill, Jr. et al. 435 240 FOREIGN PATENT DOCUMENTS Examiner Document No. Date Country Class Subclass Translation Initial YES NO BA 0 381 514 A2 08/08/90 EP A61K 31/13 X BB 0 821 068 A2 01/28/98 EP C12P 13/02 χ Det W 0 BC WO 96/18404 06/20/96 A61K 31/70 X OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, etc.) H. Sun et al., "Weinbersterol Disulfates A and B, Antiviral Steriod Sulfates from the Sponge CA Petrosia Weinbergi", Tetrahedron, Vol. 47, No. 7, pp. 1185-1190 (1991). CB S. Sakemi et al., "Antitumor Cyclic Peroxides from the Sponge Plakortis Lita", Tetrahedron, V Vol. 43, No. 1, pp. 263-268 (1987). CC S. Sakemi et al., "Isolation and Structure Elucidation of Onnamide A. a New Bioactive Metabolite of a Marine Sponge, Theonella sp.", J. Am. Chem. Soc., Vol. 110, pp. 4851-4853 (1988).6 CD M. Murata et al., "Structures and Configurations of Ciguatoxin from the Moray Eel Gymnothorax javanicus and Its Likely Precursor from the Dinoflagellate Gambierdiscus toxicus", J. Am. Chem. Soc., Vol. 112, pp. 4380-4386 (1990). CE M. Kernan et al., "Macrocyclic Antifungal Metabolites from the Spanish Dancer Nudibranch iN Hexabranchus sanguineus andd Sponges of the Genus Halichondria", J. Org. Chem., Vol. 53, pp. 5014-5020 (1988). CF G. Pettit et al., "Antneoplastic Agents. 224 Isolation and Structure of Neristatin 1114", J. Am. Chem. Soc., Vol. 113, No. 17, pp. 6693-6695 (1991). D. Schaufelberger et al., "Revised Structure of Byrostatin 3 and Isolation of the Bryostatin 3 26-CG Ketone from Bugula neritina", J. Org. Chem., Vol. 56, pp. 2895-2900 (1991). CH W. Murayama et al., "A New Centrifugal Counter-Current Chromatograph and Its Application", Journal of Chromatography, Vol. 239, pp. 643-649 (1982). D. Martin et al., "Countercurrent Chromatography for Drug Discovery and Development". CCC CI for Drug Discovery and Development, Chapter Nine, pp. 565-581. 1988 CJ S. Kohmoto et al., "Isospongiadiol, a Cytotoxic and Antiviral Diterpene from a Caribbean Deep Water Marine Sponge, Spongia sp.", Chemistry Letter, pp. 1687-1690 (1987).

OIP

		1 age 2 01 3				
N	CK G. Pettit et al., "Isolation and Structure of Bryostatins 14 and 15 <sup>1</sup> ", Tetrahedro 22, pp. 3601-3610 (1991).					
~	CL	R. Bruening et al., "Isolation of Tunichrome B-1, A Reducing Blood Pigment of the Sea Squirt, Ascidia Nigra'*, Journal of Natural Products, Vol. 49, No. 2, pp. 193-204 (1986).				
Ü	СМ	M. Reetz et al., "Sterioselective Synthesis of β-Amino Alcohols from Optically Active a-An Acids", Angew. Chem. Int. Ed. Eng., Vol., 26, No. 11, pp. 1141-1143 (1987).				
1	CN	CN Prostenik et al., "Application of the Asymmetric Synthesis in the Determination of the Configuration of Amino Alcohols and Diamines with Two Adjacent Asymmetric Carbon Atom Croatica Chemica Acta, Vol. 29, pp. 393-402 (1957).				
<u> </u>	со	B. Ravi et al., "Recent Research in Marine Natural Products: The Puupehenones", Pure & Appl. Chem., Vol. 51, pp. 1893-1900.				
<u>N</u>	СР	CP A. Stierle et al., "A Marine Micrococcus Produces Metabolites Ascribed to the Sponge Tedanic ignis", Experientia, Vol. 44, pp. 1021 (1988).				
2	CQ F. Schmitz et al., "Metabolites from the Marine Sponge <i>Tedania ignis</i> . A New Atisanediol Several Known Diketopiperazines <sup>1</sup> ", J. Org. Chem., Vol. 48, pp. 3941-3945 (1983).					
CR R. Dillman et al., "An Unusual Sulfur-Containing Diketopiperazine from the Bermudian Sport Tedania Ignis'", Journal of Natural Products, Vol. 54, No. 4, pp. 1159-1161 (1991).						
<b>N</b>	cs					
L	A. Stierle et al., "Benzothiazoles From a Putative Bacterial Symbiont of the Marine Sponge Tedania ignis!", Tetrahedron Letters, Vol. 32, No. 37, pp. 4847-4848 (1991).					
ù	CU	CU M. Raub et al., "Clavepictines A and B: Cytotoxic Quinolizines From the Tunicate Clavelina pictal", J. Am. Chem. Soc., Vol. 113, pp. 3178-3180 (1991).				
N	cv	S. Sakemi et al., "Xestamines A, B and C, Three New Long-Chain Methoxylamine Pyridines from the Sponge Xestopongia Weidenmayeri", <i>Journal of Natural Products</i> , Vol. 53, No. 4, p 995-999 (1990).				
V	CW	D. Steirle et al., "Antimicrobial N-Methylpyridinium Salts Related to the Xestamines From the Caribbean Sponge Calyx Podatypa", Journal of Natural Products, Vol. 54, No. 4, pp. 1134-1136 (1991).				
V	CX S. Kohmoto et al., "1,1-Dimethyl-5-6-dihydroxyindolinium chloride from a deep spong, Dercitus sp.", Experientia, Vol. 44, pp. 85-86.					
W						
<u> </u>						
~	CCA					
Ù	ССВ	S. Sakemi et al., "Nortopsentins A, B, and C. Cytotoxic and Antifungal Imidazolediylbis[indoles] from the Sponge Spongosorites ruetzleri", J. Org. Chem., Vol. 56, pp. 4304-4307 (1991).				
V						

U	CCD	F. Schmitz et al., "Biologically active compounds from marine organisms", Pure & Appl. Chem., Vol. 62, No. 7, pp. 1393-1396 (1990).	
(h	CCE	D. Schaufelberger et al., "Separation of Pyrroloimidazoles from Indo-Pacific Marine Sponges by High-Speed Countercurrent Distribution", <i>Journal of Liquid Chromatography</i> , pp. 1909-1917 (1989).	
Ü	CCF	G. Pettit et al., "Antineoplastic agents. 168. Isolation and structure of axinonydantoin <sup>1</sup> ", Can. J. Chem., Vol. 68, pp. 1621-1624 (1990).	
Ψ.	CCG	F. Schmitz et al., "Cytotoxic Aromatic Alkaloids from the Ascidian Amphicarpa meridiana and Leptoclinides sp.: Meridine and 11-Hydroxyascididemin", J. Org. Chem., Vol. 56, pp. 804-808 (1991).	
ÿ	ССН	G. Gunawardana et al., "Dercitin, a New Biologically Active Acridine Alkaloid from a Deep Water Marine Sponge, <i>Dercitus sp.</i> ", <i>J. Am. Chem. Soc.</i> , Vol. 110, pp. 4856-4848 (1988).	
ĵV.	CCI	G. Gunawardana et al., "Pyridoacridine Alkaloids from Deep-Water Marine Sponges of the Family Pachastrellidae: Structure Revision of Dercitin and Related Compounds and Correlation with the Kuanoniamines", J. Org. Chem., Vol. 57, pp. 1523-1526 (1992).	
Sponges of the Family <u>Pachastrellidae</u> ", Tetrahedron Letters, Vol. 30, No.		G. Gunawardana et al., "New Cytotoxic Acridine Alkaloids from Two Deep Water Marine Sponges of the Family <u>Pachastrellidae</u> ", <u>Tetrahedron Letters</u> , Vol. 30, No. 33, pp. 433359-4362 (1989).	
	ССК	S. Sakemi et al., "Batzellines A, B, C, Novel Pyrroloquinoline Alkaloids From the Sponge Batzella Sp.", Tetrahedron Letters, Vol. 30, No. 19, pp. 2517-2520 (1989).	
Alkaloids from the Marine Sponge Batzella sp.", J. Org. Chem., Vol. :  CCM G. Kalaus et al., "Synthesis of Vinca Alkaloids and Related Compound		H. Sun et al., "Isobatzellines A, B, C, and D. Cytotoxic and Antifungal Pyrroloquinoline Alkaloids from the Marine Sponge Batzella sp.", J. Org. Chem., Vol. 55, pp. 4964-4966 (1990).	
		G. Kalaus et al., "Synthesis of Vinca Alkaloids and Related Compounds. 37 <sup>1</sup> . Some New Reactions of (±)-C-Norquebrachamine and Its Derivatives", J. ORg. Chem., Vol. 53, pp. 42-45 (1988).	
<b>√</b>	CCN E Jarge Erijman et al. "Crambescidins: New Antiviral and Cytotoxic Compounds from		
V			
4			
Λ	CCQ	K. Rinehart et al., "Ecteinascidins 729, 743, 745, 759A, 759B, and 770: Potent Antitumor Agents from the Caribbean Tunicate <i>Ecteinascidia turbinata'</i> ", J. Org. Chem., Vol. 55, pp. 4512-4515 (1990).	
	CCR	A. Wright, et al., "Antitumor Tetrahydroisoquinolline Alkaloids from the Colonial Ascidian Ecteinascidia turbinata", J. Org. Chem., Vol. 55, pp. 4508-4512 (1990).	
~	CCS R. Brusca and G. Brusca, <i>Invertebrates</i> , Sinauer Associates, Sunderland, MA, (1990), pp. 706-709.		
	ССТ	B. Palameta et al., "Chromatography of the Lipide Bases on Paper-Impregnated with Silicic Acid", Croatica-Chemica Acta, Vol. 33, pp. 133-135 (1961).	
N	CCU	Y. Kawano et al., "Isolation and Structure of Six New Cerebrosides". Biologically Active Glycosides from Asteroidea, XIII, pp. 19-24. Liebigs Annalen Der Chemie, 1988	

/						
√v	CCV	N. Gulavita et al., "Two Epimeric Aliphatic Amino Alcohols from a Sponge, Xestopongia sp. 1", J. Org. Chem., Vol. 54, No.2, pp. 367-369 (1989).				
V	ccw	C. Jimenez et al., "Novel Marine Sponge Amino Acids, 10.1 Xestoaminols from Xestospongia Sp.", <i>Journal of Natural Products</i> , Vol. 53, No. 4, pp. 978-982 (1990).				
N	ссх	K. Mori et al., "Synthesis and Absolute Configuration of the Two Epimeric Aliphatic Amino Alcoholss [(5E, 7E)-2-Amino-5,7-tetradecadien-3-ols] Isolated from a Sponge, Xestrospongia sp.", Synthesis if Sphingosine Relative, XIII, pp. 131-137. 1992 Liebigs Annalen				
i V	CCY	J. Osby et al., "An Exceptionally Mild Deprotection of Phthalimides", Tetrahedron Lettersl, Vol. 25, No. 20, pp. 2093-2096 (1984).				
U	CCZ	W. Stoffel, "Sphingolids" (1971), pp. 57-82. Annual Review of Biochemistry,				
~	CCCA	A. Merrill et al., "Structural Requirement for Long-Chain (Sphingoid) Based Inhibition of Protein Kinase C in Vitro and for the Cellular Effects of These Compounds", <i>Biochemistry</i> , Vol. 28, pp. 3138-3145 (1989).				
N	CCCB	Y. Hannun et al., "Functions of Sphingolipids and Sphingolipid Breakdown Products in Cellular Regulation", Science, Vol. 243, pp. 500-507. 1989				
η	cccc	A. Merrill, "Cell Regulation by Sphingosine and More Complex Sphingolipids <sup>1</sup> ", Journal of Bioenergetics and Biomembranes, Vol. 23, No. 1, pp. 83-104 (1991).				
>	CCCD	J. Witten et al., "Structure of Two Cockroach Neuropeptides Assigned by Fast Atom Bombardment Mass Spectrometry", <i>Biochemical and Biophysical Research Communication</i> , Vol. 124, No. 2, pp. 350-358 (1984).				
И	CCCE	E. Hermann et al., "The Detection, Assay and Evaluation of Antiviral Drugs", <i>Progr. med. Virol.</i> , Vol. 3, pp. 158-192 (1961).				
V	CCCF	S. Grode et al., "Ceramides from the Sponge Dysidea etheria", Lipids, Vol. 18, No. 12, pp. 889-893 (1983).				
	CCCG	Chem. Abs., 1991, 114, 214413b.				
4	СССН	D.J. Faulkner, "Marine Natural Products", Nat. Prod. Rep., Vol. 8, pp. 97-147 (1991)				
ú	CCCI	M.H.G. Munro, et al., "The Search for Antiviral and Anticancer Compounds from Marine Organisms", Bioorganic Marine Chemistry, Vol. 1, pp. 93-176 (1987)				
6	CCCJ	Barry C. Smith et al., "Phytoplankton Pigments Accumulated by the Artic Surfclam", Journal of Shellfish Research, Vol. 11, No. 2, pp. 479-483 (1992).				
EXAMIN	ER	A l no Pa	DATE CONSIDERED			

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of the

\*\*Copies of references not provided at the time of this submission

Page 5 of 5

## FORM PTO-1449

## INFORMATION DISCLOSURE CITATION

Attorney Docket:	Serial No.:	
4126-4012	10/693,174	
Applicant:		
Rinehart et al.		
Filing Date:	Group Art Unit:	
October 23, 2003	tha	

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, etc.)					
$\omega$	Nancy Louise Fregeau, Ph.D. Thesis entitled "Biologically Active Compounds from a Claim and a Tunicate" submitted in partial fulfillment of the requirements for the degree of Doctor of Philosophy in chemistry in the Graduate College of the University of Illinois at Urbana-Champaign, 1992. First released to the public by the University – April 14, 1998. pi-294-					
N	R.S. Shallenberger et al., Laminaranase Activity in the Crystalline Style of the Surf Clam", Experientia, Vol. 30, pp. 597-598, 1974.					
	•					
<del></del>						

Examiner	1 1 0 1	Date Considered	1 / 1	/	
	MANN		12/13/	0 9	
EXAMINER:	Initial if reference considered, whether or not citation is in conform	ance with MPEP §609.			
	Draw line through citation if not in conformance and not considered	1.			
	Include copy of this form with next communication to Applicant.				